

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 2        | 2    | 6587995.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/30 12:20 |
| -        | 1    | (configurable adj processor) and monitor and (instruction near5 insert\$3)<br>and state and (dependenc\$3 or interdependenc\$3) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/30 12:19 |
| -        | 13   | (configurable adj processor) and tool and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/24 17:45 |
| -        | 226  | 717/124.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 133  | 717/125.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 179  | 717/128.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 176  | 717/131.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 36   | 717/132.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 33   | 717/133.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:35 |
| -        | 361  | 712/227.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |
| -        | 229  | 712/209.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |
| -        | 422  | 714/10.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 389  | 714/11.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |
| - | 160  | 714/12.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |
| - | 269  | 714/37.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:36 |
| - | 1002 | 714/38.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:37 |
| - | 285  | 714/45.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:37 |
| - | 347  | 714/46.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:37 |
| - | 1    | 714/46.ccls. and (configur\$4 adj processor)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:42 |
| - | 1    | 717/124.ccls. and (configur\$4 adj processor) and state | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 07:43 |
| - | 1    | 717/124.ccls. and (configur\$4 adj processor)           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:39 |
| - | 2    | 712/227.ccls. and (configur\$4 adj processor)           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:39 |
| - | 1    | 712/209.ccls. and (configur\$4 adj processor)           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:40 |
| - | 3    | 714/10.ccls. and (configur\$4 adj processor)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:40 |
| - | 3    | 714/11.ccls. and (configur\$4 adj processor)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:41 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 2     | 714/37.ccls. and (configur\$4 adj processor)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:41 |
| - | 1     | 714/38.ccls. and (configur\$4 adj processor)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:42 |
| - | 74    | configurable adj (processor or pu or (processing adj unit)) and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:47 |
| - | 91    | (adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 08:48 |
| - | 57    | (adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state and (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:10 |
| - | 1     | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near3 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:25 |
| - | 1     | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:28 |
| - | 1     | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:29 |
| - | 19    | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:30 |
| - | 19    | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:39 |
| - | 18648 | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state and (pu or processor or microprocessor or (processing adj unit))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:42 |
| - | 4636  | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state same (pu or processor or microprocessor or (processing adj unit))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:44 |
| - | 355   | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:45 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 10    | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 717/???.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 09:54 |
| - | 13    | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 714/???.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 10:06 |
| - | 9     | (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 712/???.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 10:06 |
| - | 29874 | (access\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:55 |
| - | 49786 | (debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:56 |
| - | 59211 | (debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:57 |
| - | 543   | access\$3 near3 processor near3 state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:58 |
| - | 119   | access\$3 near3 processor adj state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:58 |
| - | 2     | query adj processor adj state  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:59 |
| - | 1075  | debug\$4 near3 processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 14:59 |
| - | 396   | debug\$4 near3 processor and ???/???.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 15:07 |
| - | 2     | debug\$4 near3 processor adj (creation or design or development or configuration) and ???/???.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 15:11 |
| - | 0     | debug\$4 near3 (configur\$4 adj processor)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 15:11 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 986   | configur\$4 adj processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 15:12 |
| - | 678   | configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 15:13 |
| - | 479   | configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5) and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:13 |
| - | 10    | ("5450586"   "5535331"   "5748875"   "5819050"   "5854929"   "5870588"   "5999734"   "6006022"   "6182206"   "6195593").PN.       | USPAT   | 2003/05/01 15:32 |
| - | 0     | 6477683.URPN.   | USPAT   | 2003/05/01 15:37 |
| - | 5     | ("5303350"   "5452467"   "5635855"   "5777885"   "6272465").PN.   | USPAT   | 2003/05/01 15:42 |
| - | 26494 | state and (dependency or dependencies or interdependencies or inter-dependencies)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:16 |
| - | 1253  | processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies)                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:28 |
| - | 325   | processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:32 |
| - | 260   | processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and 7??/???.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:33 |
| - | 28    | processor near5 state same (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and 7??/???.ccls. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:35 |
| - | 0     | processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and 7??/???.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:35 |
| - | 1     | processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies)                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/01 16:35 |
| - | 11    | ("5359546" "5537560" "5841670" "6182245" "6510402" "5371883").pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 08:11 |
| - | 6     | ("5854929" "5896521" "6142683").pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 09:57 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 0   | Ussery.in. and debug.ti.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 09:58 |
| - | 27  | Ussery.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 09:58 |
| - | 0   | barry.in and configurable and multi-processor  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 09:59 |
| - | 0   | barry.in and configurable  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 09:59 |
| - | 120 | barry.in. and configurable   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 10:00 |
| - | 2   | coprocessing/debug and barry.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/05/05 10:00 |
| - | 36  | debug\$4 near5 (configur\$5 near3 ( processor or pu or (processing adj unit ) ) )  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 15:20 |
| - | 49  | debug\$4 near5 (configur\$5 near3 ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) )   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 15:22 |
| - | 441 | debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) near3 ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) )      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 15:25 |
| - | 73  | debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5)adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) )         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 15:36 |
| - | 2   | debug\$4 near5 ((configurable or programmable or reprogrammable or re-programmable) adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) ) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 15:38 |
| - | 73  | debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) )        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 17:06 |
| - | 2   | 5754759.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 16:39 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 1     | (analog adj devices).as. and (dinh and hoffman and kolagotla and rivin and roth and singh).in.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 16:40 |
| - | 111   | debug\$4 near5 (configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) SAME (( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) NEAR5 STATE)       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 17:08 |
| - | 6     | debug\$4 near5 (configurable or programmable or reprogrammable or re-programable) SAME (( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) NEAR5 STATE) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 07:24 |
| - | 0     | 09506502.an. and wang.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 07:25 |
| - | 2794  | wang.in. and processor  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 07:25 |
| - | 10    | wang.in. and configurable near3 processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 07:25 |
| - | 4690  | debug\$4 and state and interpret\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:46 |
| - | 1289  | debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:48 |
| - | 272   | embed\$3 near5 debug\$4 and state   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:35 |
| - | 15198 | state near3 processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:51 |
| - | 10379 | state near2 processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:54 |
| - | 312   | state near2 processor and ((save near3 restore) or save-and-restore)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:55 |
| - | 125   | state near2 processor and ((save near3 restore) or save-and-restore) and embed\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:55 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 125  | state near2 processor and ((save near3 restor\$3) or save-and-restor\$3) and embed\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:56 |
| - | 256  | state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:56 |
| - | 0    | (embed\$3 near5 debug\$4 and state) and (access\$3 adj (state near2 processor ) )   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 15:59 |
| - | 9    | access\$3 adj (state near2 processor ) and embed\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:10 |
| - | 2    | 6118304.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:10 |
| - | 52   | access\$3 adj (state near2 processor )  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:12 |
| - | 57   | embed\$3 near5 debug\$4 and (state near3 processor)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:36 |
| - | 57   | (embed\$3 near5 debug\$4 and (state near3 processor)) not (access\$3 adj (state near2 processor ) )   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 16:36 |
| - | 34   | (state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4 ) and (debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state ) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 17:12 |
| - | 139  | chip same ( (multiple or plurality) adj core)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 17:13 |
| - | 1403 | chip same topology  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 17:14 |
| - | 23   | retriev\$3 same chip same topology  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 17:14 |
| - | 5    | chip same ( (multiple or plurality) adj core) and topology  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 17:17 |